

FCI

Fabrication & Controlling Instruction

Packing and labelling



Document No.

ST0000.00.773.FCI.000

Revision

© Copyright reserved - The reproduction, distribution and utilization of this document as well as the communication of its contents to others without expressed authorization is prohibited. Offenders will be held liable for the payment of damages.

All rights reserved in the event of the grant of a patent, utility model or design.

Maerz Ofenbau AG Richard-Wagner-Strasse 28 8002 Zurich, Switzerland +41 44 287 27 27 info@maerz.com www.maerz.com



Revision Table Document						
Revision	ion Created by Checked by		Approved by	Description		
0	Christoph Marti 31.03.2017	Christoph Marti 31.03.2017		First issue		
А	Benjamin Oberle 06.03.2020	Richard Rindle / Irene Gyr 06.04.2020	Michael Schawalder 06.04.2020	Complete revision, 774.FCI integrated		
В	Patrick Ewert 07.01.2021	Irene Gyr 07.01.2021	Michael Schawalder 07.01.2021	Alfred Winkler replaced with Sibylle Weishaupt		

Rev B 2/12



Table of Contents

1	Introduction	4
2	Packing list	4
2.1	General procedure	5
2.2	Packing list – Cover sheet	6
2.3	Packing list – Summary	7
2.4	Packing list – Details	8
2.5	Various	9
2.5.1	Spare Parts	9
3	Packing	10
3.1	Maximum dimensions of packages	10
3.2	Conservation	10
4	Marking	11
4.1	Example - shipping mark	12

Rev B 3/12




1 Introduction

This specification contains information how to complete MAERZ packing lists to have an uniform project standard for all suppliers.

2 Packing list

A complete set of Packing List Includes:

- Packing list Cover sheet
- Packing list Summary
- Packing list Details



Rev B 4/12



2.1 General procedure

Sequence of packing list development:

- Step 1: The Packing list template is sent by MAERZ after the purchase order.
- Step 2: The supplier shall complete the packing list by providing a clear description of the merchandise and the required information as defined later on in this document and returns it to.

irene.gyr@maerz.com

Phone: +41-44-287 27 38

or

sibylle.weishaupt@maerz.com

Phone: +41-44-287 27 64

Special Remarks for Editing of Packing List:


- The EXCEL-cell parameters pre-defined in the MAERZ packing list template (quantity, width, height) shall not be changed
- Packing list template arrangement shall not be changed
- The supplier shall contact MAERZ (contact details above) for any questions regarding the packing list instructions or for any shipping arrangements that may be required.

Rev B 5/12



2.2 Packing list - Cover sheet

The packing cover sheet contains information about the final destination and content of the delivery. It also contains the shipping mark which shall be placed on the Outer cases as described in chapter 4.




Rev B 6/12



2.3 Packing list – Summary

Every delivery has one packing list summary with a listing of all outer packages and detailed information to every outer package.




Rev B 7/12



2.4 Packing list – Details

The packing List Details sheet shows detailed Merchandise information of each Case.



Please follow following guideline for filling out the Detail sheets

- The content of each Case (Inner and Outer Case) must be listed on its own Excel sheet.
- The header of each sheet must indicate the case number
- The headers for Outer Cases shall be named with "DETAILS CASE 1", "DETAILS CASE 2", etc.



- The headers for Inner Cases shall be named with "DETAILS CASE 1.1", "DETAILS CASE 1.2", etc.



Rev B 8/12



2.5 Various

2.5.1 Spare Parts

- Spare parts must be packed ideally in a separate Outer Case in order to allow easy handling and storage at the destination.
- If the size of the spare part Merchandise cannot fill a reasonable size Outer Case, the spare part Merchandise shall be packed into a separate Inner Case.
- Spare part Merchandise must be clearly indicated as Spare Parts on the Packing List

Rev B 9/12



3 Packing

3.1 Maximum dimensions of packages

It must be ensured that the package dimensions do not exceed the standard dimensions of the means of transport, as defined in following table:

Truck standard dimensions:

	Internal dimensions			Truck floor	Volume	Live load	
Туре	Length Width Height (mm) (mm) (mm)		Height (mm)	(m²)	(m²)	(approx. kg)	
3-axis semitrailer with curtain	13,600	2,460	2,550	33.45	85.31	24,000	
Trailer combination	6,000	2,440	2,550	14.64	36.60	9,000	
Motor truck	7,000	2,440	2,500	17.08	42.70	9,000	
Trailer	8,000	2,440	2,500	19.52	48.80	16,000	
Mega trailer (semitrailer)	13,600	2,480	3,000	33.73	101.18	24,000	
Motor truck / Trailer	7,700	2,480	3,000	19.00	57.00	8,000	

Container standard dimensions:

Туре	Holding capacity (m³)	Payload (kg)	Door width (mm)	Door height (mm)	Inner length (mm)	Inner width (mm)	Inner height (mm)
20" Standard	32.3	21,687	2,305	2,276	5,918	2,330	2,356
40" Standard	66.9	26,380	2,330	2,278	12,015	2,330	2,389
40" High cube	76.6	26,040	2,339	2,591	12,033	2,350	2,700

3.2 Conservation

- Material must be protected with an appropriate conservation method against corrosion according requirement in the purchase order.
- For international Transport wooden box treatment according to IPPC standard has to be followed

Rev B 10/12




4 Marking

Outer Case:

- Packaging which is handled by the freight company and exposed directly to the environment.
- This packaging must allow forklift entry.
- Must contain shipping marks according cover sheet of packing list (see chapter 2.2) on two sides as indicated below
- Must contain two complete sets of the Packing list
 - 1x in water-proof envelope attached to outside of case
 - 1x in protective envelope inside the case





Inner Case

- Packaging which is placed into an Outer Case.
- Must contain two Packing list Details
 - 1x attached outside the case
 - o 1x inside the case



Merchandise

- Supplied material
- Can be packed either directly in an Outer Case or packed in an Inner Case which is packed in an Outer Case. Tagging according ST0000.00.772.FCI.000

lev B 11/12



4.1 Example - shipping mark



Rev B 12/12